

Table 92. Domestic Refinery Distillation Base Capacity, Expansion, and Utilization
(million barrels per day)

	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
PAD District I													
Base Capacity	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
Capacity Additions	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Capacity	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
PAD District II													
Base Capacity	3.5	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6
Capacity Additions	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Capacity	3.5	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6
PAD District III													
Base Capacity	7.9	8.1	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3
Capacity Additions	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3
Total Capacity	7.9	8.1	8.3	8.3	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.5	8.6
PAD District IV													
Base Capacity	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Capacity Additions	0.0	0.0	0.0	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5
Total Capacity	0.6	0.6	0.6	0.9	0.9	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1
PAD District V													
Base Capacity	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
Capacity Additions	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Capacity	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
United States													
Base Capacity	16.9	17.1	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3
Capacity Additions	0.0	0.0	0.0	0.3	0.4	0.4	0.5	0.5	0.6	0.6	0.7	0.8	0.9
Total Capacity	16.9	17.1	17.3	17.6	17.7	17.7	17.8	17.9	17.9	17.9	17.9	18.0	18.1

Table 92. Domestic Refinery Distillation Base Capacity, Expansion, and Utilization
(million barrels per day)

	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2005-2030
PAD District I															
Base Capacity	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	0.0%
Capacity Additions	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	N/A
Total Capacity	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	0.0%
PAD District II															
Base Capacity	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	0.0%
Capacity Additions	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	N/A
Total Capacity	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	0.0%
PAD District III															
Base Capacity	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	0.1%
Capacity Additions	0.5	0.6	0.7	0.9	1.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	N/A
Total Capacity	8.6	8.7	8.9	9.0	9.2	9.3	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	0.6%
PAD District IV															
Base Capacity	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.1%
Capacity Additions	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.7	0.8	0.8	0.9	0.9	1.0	1.2	N/A
Total Capacity	1.1	1.1	1.2	1.2	1.2	1.2	1.2	1.3	1.3	1.3	1.5	1.5	1.6	1.8	4.5%
PAD District V															
Base Capacity	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0%
Capacity Additions	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.4	0.4	N/A
Total Capacity	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.3	3.3	3.4	3.4	3.5	3.5	3.6	0.5%
United States															
Base Capacity	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.3	0.0%
Capacity Additions	1.0	1.1	1.3	1.5	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.6	2.8	N/A
Total Capacity	18.2	18.4	18.5	18.7	18.8	19.0	19.2	19.3	19.4	19.4	19.6	19.7	19.8	20.0	0.6%

Table 92. Domestic Refinery Distillation Base Capacity, Expansion, and Utilization
(million barrels per day)

PAD = Petroleum Administration for Defense.

N/A = Not applicable.

Note: Base capacity is operable capacity for the beginning of the year. Capacity additions are cumulative additions after December 31, 2006.

Source: 2005: Energy Information Administration (EIA), Petroleum Supply Annual 2005, DOE/EIA-0340(2005)/1 (Washington, DC, October 2006). 2004: EIA, Petroleum Supply Annual 2004, DOE/EIA-0340(2004)/1 (Washington, DC, June 2005). Projections: EIA, AEO2007 National Energy Modeling System run aeo2007.d112106a.