

Table 26. Gas Home Customer-Weighted Heating Degree Days

Census Divisions	Cumulative November 1 through November 30				
	Normal ^a	2000	2001	Percent Change	
				Normal to 2001	2000 to 2001
New England CT, ME, MA, NH, RI, VT	693	723	597	-13.9	-17.4
Middle Atlantic NJ, NY, PA	645	692	490	-24.0	-29.2
East North Central IL, IN, MI, OH, WI	730	788	507	-30.5	-35.7
West North Central IA, KS, MN, MO, ND, NE, SD	788	921	528	-33.0	-42.7
South Atlantic DE, FL, GA, MD and DC, NC, SC, VA, WV	421	499	311	-26.1	-37.7
East South Central AL, KY, MS, TN	431	508	307	-28.8	-39.6
West South Central AR, LA, OK, TX	279	396	215	-22.9	-45.7
Mountain AZ, CO, ID, MT, NV, NM, UT, WY	715	925	618	-13.6	-33.2
Pacific ^b CA, OR, WA	342	445	307	-10.2	-31.0
U.S. Average ^b	559	649	421	-24.7	-35.1

^a Normal is based on calculations of data from 1961 through 1990.

^b Excludes Alaska and Hawaii.

Note: See Appendix A, Explanatory

Note 10 for discussion of Heating Degree-Days computations.

Sources: National Oceanic and Atmospheric Administration.