

**Table 26. Gas Home Customer-Weighted Heating Degree Days**

Month/Year/Type of Data	New England	Middle Atlantic	East North Central	West North Central	South Atlantic
	CT, ME, MA, NH, RI, VT	NJ, NY, PA	IL, IN, MI, OH, WI	IA, KS, MN, MO, ND, NE, SD	DE, FL, GA, MD, DC, NC, SC, VA, WV
<b>November</b>					
Normal <sup>a</sup> .....	702	665	757	841	442
2005 .....	651	584	681	728	398
2006 .....	562	523	668	743	411
% Diff (normal to 2006) .....	-19.94	-21.35	-11.76	-11.65	-7.01
% Diff (2005 to 2006) .....	-13.67	-10.45	-1.91	2.06	3.27

Month/Year/Type of Data	East South Central	West South Central	Mountain	Pacific <sup>b</sup>	U.S. Average <sup>b</sup>
	AL, KY, MS, TN	AR, LA, OK, TX	AZ, CO, ID, MT, NV, NM, UT, WY	CA, OR, WA	
<b>November</b>					
Normal <sup>a</sup> .....	455	305	739	365	589
2005 .....	410	239	629	283	512
2006 .....	452	261	646	305	509
% Diff (normal to 2006) .....	-0.66	-14.43	-12.58	-16.44	-13.58
% Diff (2005 to 2006) .....	10.24	9.21	2.70	7.77	-0.59

<sup>a</sup> Normal is based on calculations of data from 1971 through 2000.

<sup>b</sup> Excludes Alaska and Hawaii.

**Note:** See Appendix A, Explanatory Note 10, for discussion of Heating Degree-Days computations.

**Source:** National Oceanic and Atmospheric Administration.