

**Table 43. Working Storage Capacity<sup>a</sup> at Operable Refineries by PAD District as of January 1, 1997**  
 (Thousand Barrels)

Commodity	PAD Districts					United States
	I	II	III	IV	V	
Crude Oil .....	22,761	22,125	74,949	3,638	34,962	158,435
<b>Liquefied Petroleum Products .....</b>	<b>3,333</b>	<b>8,778</b>	<b>24,371</b>	<b>538</b>	<b>1,865</b>	<b>38,885</b>
Propane/Propylene.....	921	4,327	9,817	168	191	15,424
Normal Butane/Butylene .....	2,412	4,451	14,554	370	1,674	23,461
<b>Other Liquids.....</b>	<b>9,268</b>	<b>16,249</b>	<b>33,072</b>	<b>3,628</b>	<b>16,937</b>	<b>79,154</b>
Oxygenates .....	2,323	983	3,752	116	3,233	10,407
Fuel Ethanol .....	0	90	44	91	0	225
Methanol.....	250	44	566	0	90	950
MTBE .....	1,973	849	2,832	25	3,143	8,822
Other Oxygenates <sup>b</sup> .....	100	0	310	0	0	410
Gasoline Blending Components.....	6,945	15,266	29,320	3,512	13,704	68,747
<b>Petroleum Products .....</b>	<b>53,162</b>	<b>94,172</b>	<b>213,017</b>	<b>17,471</b>	<b>90,494</b>	<b>468,316</b>
Finished Motor Gasoline .....	8,613	19,868	27,975	3,696	14,929	75,081
Reformulated.....	5,183	1,843	5,061	0	8,012	20,099
Oxygenated.....	136	1,137	386	200	0	1,859
Other Finished.....	3,294	16,888	22,528	3,496	6,917	53,123
Jet Fuel.....	2,229	4,104	11,974	751	6,951	26,009
Naphtha-Type.....	0	134	0	108	71	313
Kerosene-Type.....	2,229	3,970	11,974	643	6,880	25,696
Kerosene.....	153	1,398	3,136	269	251	5,207
Distillate Fuel Oil .....	10,508	19,031	26,909	3,317	10,657	70,422
0.05 percent sulfur and under .....	3,379	10,744	13,692	2,289	6,561	36,665
Greater than 0.05 percent sulfur .....	7,129	8,287	13,217	1,028	4,096	33,757
Residual Fuel Oil .....	3,800	4,721	13,111	1,083	7,317	30,032
Lubricants.....	2,802	2,127	14,575	0	2,137	21,641
Asphalt and Road Oil .....	4,176	11,209	5,772	4,090	4,513	29,760
Other Products <sup>c</sup> .....	20,881	31,714	109,565	4,265	43,739	210,164
<b>Total.....</b>	<b>88,524</b>	<b>141,324</b>	<b>345,409</b>	<b>25,275</b>	<b>144,258</b>	<b>744,790</b>

<sup>a</sup> The difference in volume between the maximum safe fill capacity and tank bottoms.

<sup>b</sup> Includes ethyl tertiary butyl ether (ETBE), tertiary amyl methyl ether (TAME), tertiary butyl alcohol(TBA), and other aliphatic alcohols and ethers intended for motor gasoline blending (e.g., isopropyl ether (IPE) or n-propanol).

<sup>c</sup> Includes ethane/ethylene, isobutane/isobutylene, pentanes plus, other hydrocarbons/hydrogen, unfinished oils, finished aviation gasoline, special naphthas, wax, petroleum coke, still gas, petrochemical feedstocks and miscellaneous products.

Source: Energy Information Administration (EIA), Form EIA-820, "Biennial Refinery Report."