

Table 17. U.S. Retail Motor Gasoline Prices, by PADD
 (Cents per Gallon, Including Taxes)

| | 3/22/99 | 3/29/99 | 4/5/99 | 4/12/99 | 4/19/99 |
|-----------------------|--------------|--------------|--------------|--------------|--------------|
| Motor Gasoline | | | | | |
| All Grades | | | | | |
| PADD I | 101.2 | 104.7 | 107.8 | 110.0 | 110.5 |
| Conventional Areas | 100.2 | 103.8 | 107.0 | 108.7 | 108.9 |
| OPRG Areas | 107.3 | 110.2 | 113.0 | 116.0 | 117.5 |
| RFG Areas | 101.4 | 104.8 | 108.2 | 111.0 | 112.1 |
| PADD IX | 104.6 | 107.6 | 111.3 | 113.8 | 114.6 |
| Conventional Areas | 104.4 | 107.5 | 112.2 | 114.4 | 115.2 |
| OPRG Areas | 114.2 | 116.2 | 120.2 | 123.5 | 123.8 |
| RFG Areas | 104.3 | 107.3 | 110.9 | 113.4 | 114.2 |
| PADD IY | 103.2 | 106.9 | 110.0 | 112.6 | 114.0 |
| Conventional Areas | 103.7 | 107.7 | 111.3 | 112.8 | 114.2 |
| OPRG Areas | 107.0 | 109.9 | 112.7 | 115.7 | 117.3 |
| RFG Areas | 99.8 | 103.7 | 106.7 | 109.9 | 111.3 |
| PADD IZ | 99.4 | 103.0 | 106.0 | 107.9 | 107.9 |
| Conventional Areas | 99.5 | 103.0 | 106.1 | 107.9 | 107.8 |
| RFG Areas | 98.9 | 101.7 | 105.7 | 107.7 | 109.3 |
| PADD II | 105.7 | 110.9 | 112.2 | 113.9 | 112.4 |
| Conventional Areas | 104.5 | 110.0 | 111.1 | 112.9 | 111.4 |
| Oxygenated Areas | 107.3 | 113.8 | 118.4 | 116.6 | 116.7 |
| RFG Areas | 111.8 | 115.6 | 116.7 | 118.7 | 117.3 |
| PADD III | 99.2 | 103.9 | 106.8 | 108.1 | 108.7 |
| Conventional Areas | 99.3 | 104.1 | 107.3 | 108.3 | 108.7 |
| Oxygenated Areas | 102.5 | 110.0 | 114.0 | 120.5 | 120.6 |
| RFG Areas | 98.8 | 102.7 | 104.6 | 106.3 | 107.4 |
| PADD IV | 107.7 | 115.9 | 120.6 | 123.0 | 123.7 |
| Conventional Areas | 108.4 | 116.0 | 122.0 | 125.0 | 126.0 |
| Oxygenated Areas | 104.4 | 115.2 | 114.9 | 114.5 | 113.8 |
| PADD V | 123.1 | 141.1 | 153.1 | 157.5 | 155.7 |
| Conventional Areas | 117.0 | 128.1 | 137.7 | 142.6 | 142.2 |
| Oxygenated Areas | 118.2 | 133.6 | 145.9 | 152.4 | 151.7 |
| RFG Areas | 127.6 | 150.0 | 163.3 | 167.1 | 164.3 |
| Regular | | | | | |
| PADD I | 96.4 | 99.9 | 103.1 | 105.3 | 105.8 |
| Conventional Areas | 95.2 | 98.9 | 102.1 | 103.9 | 104.0 |
| OPRG Areas | 102.4 | 105.5 | 108.2 | 111.2 | 112.8 |
| RFG Areas | 97.0 | 100.4 | 103.8 | 106.6 | 107.7 |
| PADD IX | 100.5 | 103.6 | 107.3 | 109.7 | 110.6 |
| Conventional Areas | 100.5 | 103.6 | 108.2 | 110.4 | 111.1 |
| OPRG Areas | 109.0 | 111.1 | 115.4 | 118.7 | 119.1 |
| RFG Areas | 100.2 | 103.3 | 106.9 | 109.3 | 110.2 |
| PADD IY | 98.7 | 102.5 | 105.4 | 108.2 | 109.5 |
| Conventional Areas | 99.5 | 103.8 | 107.2 | 108.9 | 110.2 |
| OPRG Areas | 102.2 | 105.2 | 107.9 | 110.9 | 112.5 |
| RFG Areas | 95.2 | 99.1 | 101.8 | 105.2 | 106.5 |
| PADD IZ | 94.3 | 97.8 | 101.0 | 102.7 | 102.8 |
| Conventional Areas | 94.3 | 97.9 | 101.0 | 102.8 | 102.7 |
| RFG Areas | 93.3 | 95.9 | 100.7 | 102.5 | 103.8 |
| PADD II | 102.5 | 107.7 | 108.9 | 110.7 | 109.3 |
| Conventional Areas | 101.4 | 106.7 | 107.9 | 109.7 | 108.2 |
| Oxygenated Areas | 105.1 | 111.7 | 116.2 | 114.5 | 114.6 |
| RFG Areas | 108.2 | 112.1 | 113.2 | 115.2 | 113.8 |
| PADD III | 94.8 | 99.5 | 102.5 | 103.8 | 104.5 |
| Conventional Areas | 95.0 | 99.9 | 103.2 | 104.1 | 104.7 |
| Oxygenated Areas | 97.6 | 105.2 | 109.4 | 115.7 | 115.8 |
| RFG Areas | 93.8 | 97.7 | 99.8 | 101.6 | 102.6 |
| PADD IV | 103.4 | 111.2 | 116.2 | 118.2 | 118.9 |
| Conventional Areas | 104.4 | 111.5 | 117.8 | 120.4 | 121.4 |
| Oxygenated Areas | 99.2 | 110.0 | 109.6 | 109.1 | 108.5 |
| PADD V | 118.4 | 136.5 | 148.2 | 152.7 | 150.8 |
| Conventional Areas | 112.9 | 124.3 | 133.9 | 138.8 | 138.4 |
| Oxygenated Areas | 114.6 | 130.0 | 142.5 | 148.9 | 148.1 |
| RFG Areas | 122.9 | 145.6 | 158.6 | 162.4 | 159.4 |

See footnotes at end of table.

Table 17. U.S. Retail Motor Gasoline Prices, by PADD (continued)
 (Cents per Gallon, Including Taxes)

| | 3/22/99 | 3/29/99 | 4/5/99 | 4/12/99 | 4/19/99 |
|-----------------------|--------------|--------------|--------------|--------------|--------------|
| Motor Gasoline | | | | | |
| Midgrade | | | | | |
| PADD I | 106.4 | 109.7 | 113.0 | 115.1 | 115.7 |
| Conventional Areas | 104.9 | 108.4 | 111.6 | 113.5 | 113.7 |
| OPRG Areas | 113.9 | 116.6 | 119.6 | 122.5 | 123.9 |
| RFG Areas | 107.6 | 111.2 | 114.3 | 117.1 | 118.3 |
| PADD IX | 110.7 | 113.7 | 117.3 | 120.0 | 120.4 |
| Conventional Areas | 110.1 | 113.1 | 117.9 | 120.2 | 121.1 |
| OPRG Areas | 123.7 | 125.6 | 128.9 | 131.9 | 132.4 |
| RFG Areas | 110.3 | 113.4 | 116.8 | 119.5 | 119.9 |
| PADD IY | 109.1 | 112.5 | 115.9 | 118.2 | 119.7 |
| Conventional Areas | 108.0 | 111.3 | 115.2 | 116.4 | 117.7 |
| OPRG Areas | 113.6 | 116.2 | 119.3 | 122.2 | 123.6 |
| RFG Areas | 106.4 | 110.4 | 113.8 | 116.6 | 118.2 |
| PADD IZ | 104.4 | 107.8 | 110.9 | 112.8 | 113.0 |
| Conventional Areas | 104.3 | 107.8 | 110.9 | 112.8 | 112.9 |
| RFG Areas | 104.9 | 108.3 | 110.3 | 112.5 | 114.9 |
| PADD II | 111.2 | 117.0 | 118.2 | 120.1 | 118.5 |
| Conventional Areas | 109.8 | 116.0 | 117.1 | 119.1 | 117.5 |
| Oxygenated Areas | 110.8 | 117.1 | 122.2 | 119.8 | 119.8 |
| RFG Areas | 118.9 | 122.4 | 123.5 | 125.3 | 123.7 |
| PADD III | 105.1 | 109.4 | 112.1 | 113.5 | 113.9 |
| Conventional Areas | 104.9 | 109.2 | 112.1 | 113.2 | 113.5 |
| Oxygenated Areas | 108.4 | 115.5 | 119.3 | 126.5 | 126.8 |
| RFG Areas | 105.7 | 109.7 | 111.4 | 112.9 | 113.9 |
| PADD IV | 113.9 | 123.2 | 127.3 | 130.6 | 131.1 |
| Conventional Areas | 114.4 | 123.2 | 128.4 | 132.6 | 133.4 |
| Oxygenated Areas | 112.1 | 122.9 | 122.7 | 122.3 | 121.6 |
| PADD V | 130.2 | 148.7 | 161.6 | 165.9 | 164.0 |
| Conventional Areas | 124.6 | 135.2 | 145.2 | 150.1 | 149.6 |
| Oxygenated Areas | 124.7 | 140.0 | 151.9 | 159.2 | 158.4 |
| RFG Areas | 133.2 | 155.2 | 169.5 | 173.1 | 170.5 |
| Premium | | | | | |
| Midgrade | | | | | |
| PADD I | 114.9 | 118.3 | 121.3 | 123.5 | 124.1 |
| Conventional Areas | 114.2 | 117.7 | 120.6 | 122.4 | 122.7 |
| OPRG Areas | 120.6 | 123.2 | 126.0 | 129.4 | 130.6 |
| RFG Areas | 114.9 | 117.9 | 121.6 | 124.4 | 125.7 |
| PADD IX | 119.8 | 122.2 | 126.2 | 128.9 | 129.6 |
| Conventional Areas | 119.3 | 122.4 | 127.5 | 129.4 | 130.2 |
| OPRG Areas | 131.9 | 133.3 | 136.7 | 139.8 | 139.6 |
| RFG Areas | 119.4 | 121.8 | 125.7 | 128.5 | 129.2 |
| PADD IY | 116.0 | 119.4 | 122.8 | 125.2 | 126.7 |
| Conventional Areas | 116.4 | 120.2 | 123.9 | 124.9 | 126.7 |
| OPRG Areas | 120.2 | 122.9 | 125.7 | 129.0 | 130.3 |
| RFG Areas | 112.0 | 115.7 | 119.5 | 122.3 | 123.8 |
| PADD IZ | 113.7 | 117.2 | 119.9 | 121.8 | 122.0 |
| Conventional Areas | 113.7 | 117.2 | 119.9 | 121.8 | 121.9 |
| RFG Areas | 113.8 | 116.5 | 119.6 | 122.0 | 124.0 |
| PADD II | 121.0 | 126.0 | 127.3 | 128.5 | 126.8 |
| Conventional Areas | 119.7 | 125.0 | 126.2 | 127.3 | 125.5 |
| Oxygenated Areas | 118.0 | 124.8 | 129.3 | 127.2 | 127.3 |
| RFG Areas | 128.3 | 131.8 | 133.4 | 135.0 | 133.7 |
| PADD III | 113.7 | 118.6 | 121.1 | 122.4 | 122.9 |
| Conventional Areas | 113.3 | 118.3 | 121.1 | 122.2 | 122.5 |
| Oxygenated Areas | 118.7 | 126.2 | 129.7 | 136.7 | 136.8 |
| RFG Areas | 114.3 | 118.5 | 119.9 | 121.6 | 122.7 |
| PADD IV | 122.4 | 131.1 | 135.5 | 138.4 | 139.3 |
| Conventional Areas | 122.5 | 130.6 | 136.1 | 139.8 | 141.0 |
| Oxygenated Areas | 122.2 | 133.2 | 133.0 | 132.6 | 132.1 |
| PADD V | 140.9 | 158.6 | 170.7 | 175.0 | 173.6 |
| Conventional Areas | 136.6 | 146.3 | 155.7 | 160.0 | 159.8 |
| Oxygenated Areas | 135.1 | 150.9 | 162.3 | 169.3 | 168.7 |
| RFG Areas | 143.8 | 165.6 | 179.3 | 183.0 | 180.9 |

NA=Not Available

Note: See Technical Note 1, page 40, for more information about the data in this table. See Glossary for definitions of abbreviations.

Source: See page 34.