

Table 17. U.S. Retail Motor Gasoline Prices, by PADD
 (Cents per Gallon, Including Taxes)

| | 5/31/99 | 6/7/99 | 6/14/99 | 6/21/99 | 6/28/99 |
|-----------------------|--------------|--------------|--------------|--------------|--------------|
| Motor Gasoline | | | | | |
| All Grades | | | | | |
| PADD I | 111.9 | 111.5 | 111.3 | 111.7 | 111.7 |
| Conventional Areas | 109.5 | 109.1 | 108.7 | 109.5 | 109.5 |
| OPRG Areas | 120.7 | 120.5 | 120.2 | 119.9 | 119.9 |
| RFG Areas | 114.9 | 114.7 | 114.6 | 114.7 | 114.8 |
| PADD IX | 116.7 | 116.6 | 116.6 | 116.6 | 116.4 |
| Conventional Areas | 116.2 | 115.1 | 115.1 | 114.8 | 114.5 |
| OPRG Areas | 127.3 | 127.3 | 126.8 | 127.0 | 126.9 |
| RFG Areas | 116.4 | 116.4 | 116.4 | 116.4 | 116.2 |
| PADD IY | 116.3 | 116.0 | 116.0 | 116.1 | 116.3 |
| Conventional Areas | 114.6 | 114.2 | 114.7 | 114.9 | 115.2 |
| OPRG Areas | 120.4 | 120.2 | 119.9 | 119.7 | 119.6 |
| RFG Areas | 114.5 | 114.2 | 114.0 | 114.1 | 114.5 |
| PADD IZ | 108.7 | 108.3 | 107.8 | 108.6 | 108.5 |
| Conventional Areas | 108.4 | 108.0 | 107.5 | 108.4 | 108.3 |
| RFG Areas | 111.9 | 111.7 | 111.5 | 111.8 | 111.8 |
| PADD II | 110.2 | 111.8 | 111.4 | 114.5 | 111.9 |
| Conventional Areas | 109.1 | 111.5 | 110.2 | 113.7 | 110.9 |
| Oxygenated Areas | 111.0 | 107.8 | 113.2 | 116.7 | 112.4 |
| RFG Areas | 116.0 | 113.9 | 116.4 | 118.3 | 116.4 |
| PADD III | 110.2 | 109.8 | 109.6 | 109.7 | 109.0 |
| Conventional Areas | 110.2 | 109.8 | 109.7 | 109.7 | 109.1 |
| Oxygenated Areas | 115.7 | 114.7 | 113.4 | 112.2 | 111.4 |
| RFG Areas | 109.6 | 109.3 | 108.9 | 109.2 | 108.2 |
| PADD IV | 124.6 | 123.9 | 123.5 | 123.8 | 124.6 |
| Conventional Areas | 126.6 | 126.0 | 125.8 | 125.3 | 126.1 |
| Oxygenated Areas | 116.3 | 114.9 | 113.6 | 117.5 | 118.3 |
| PADD V | 138.7 | 136.5 | 135.9 | 137.3 | 137.2 |
| Conventional Areas | 133.9 | 132.6 | 133.4 | 136.1 | 136.8 |
| Oxygenated Areas | 137.2 | 135.1 | 134.4 | 135.9 | 136.2 |
| RFG Areas | 141.9 | 139.2 | 137.8 | 138.7 | 138.0 |
| Regular | | | | | |
| PADD I | 107.1 | 106.8 | 106.4 | 106.9 | 106.9 |
| Conventional Areas | 104.5 | 104.0 | 103.6 | 104.4 | 104.3 |
| OPRG Areas | 116.2 | 116.0 | 115.6 | 115.3 | 115.4 |
| RFG Areas | 110.4 | 110.3 | 110.2 | 110.2 | 110.3 |
| PADD IX | 112.8 | 112.6 | 112.7 | 112.6 | 112.4 |
| Conventional Areas | 112.3 | 111.0 | 111.0 | 110.8 | 110.4 |
| OPRG Areas | 122.6 | 122.6 | 122.2 | 122.2 | 122.2 |
| RFG Areas | 112.5 | 112.5 | 112.5 | 112.4 | 112.3 |
| PADD IY | 111.9 | 111.7 | 111.7 | 111.7 | 111.9 |
| Conventional Areas | 110.7 | 110.5 | 111.0 | 111.2 | 111.4 |
| OPRG Areas | 115.9 | 115.7 | 115.3 | 115.1 | 115.1 |
| RFG Areas | 109.7 | 109.4 | 109.3 | 109.5 | 109.8 |
| PADD IZ | 103.3 | 102.9 | 102.3 | 103.1 | 103.0 |
| Conventional Areas | 103.1 | 102.6 | 102.1 | 102.9 | 102.8 |
| RFG Areas | 106.3 | 106.2 | 106.0 | 106.1 | 106.1 |
| PADD II | 107.1 | 108.5 | 108.2 | 111.3 | 108.7 |
| Conventional Areas | 106.0 | 108.3 | 107.1 | 110.5 | 107.8 |
| Oxygenated Areas | 109.0 | 105.8 | 110.9 | 114.5 | 110.3 |
| RFG Areas | 112.6 | 110.1 | 112.8 | 114.7 | 112.8 |
| PADD III | 105.7 | 105.3 | 105.1 | 105.2 | 104.6 |
| Conventional Areas | 105.9 | 105.3 | 105.3 | 105.3 | 104.9 |
| Oxygenated Areas | 110.7 | 109.7 | 108.1 | 107.0 | 106.2 |
| RFG Areas | 104.7 | 104.5 | 104.0 | 104.4 | 103.4 |
| PADD IV | 119.9 | 119.3 | 118.9 | 119.4 | 120.1 |
| Conventional Areas | 122.0 | 121.6 | 121.5 | 121.1 | 121.8 |
| Oxygenated Areas | 110.9 | 109.7 | 108.3 | 112.0 | 112.7 |
| PADD V | 134.2 | 132.2 | 131.7 | 133.2 | 133.1 |
| Conventional Areas | 130.0 | 128.7 | 129.6 | 132.3 | 133.1 |
| Oxygenated Areas | 133.9 | 131.7 | 131.3 | 132.7 | 133.1 |
| RFG Areas | 137.2 | 134.7 | 133.5 | 134.3 | 133.6 |

See footnotes at end of table.

Table 17. U.S. Retail Motor Gasoline Prices, by PADD (continued)
 (Cents per Gallon, Including Taxes)

| | 5/31/99 | 6/7/99 | 6/14/99 | 6/21/99 | 6/28/99 |
|-----------------------|--------------|--------------|--------------|--------------|--------------|
| Motor Gasoline | | | | | |
| Midgrade | | | | | |
| PADD I | 117.1 | 116.7 | 116.4 | 116.9 | 117.1 |
| Conventional Areas | 114.5 | 114.0 | 113.7 | 114.5 | 114.7 |
| OPRG Areas | 126.5 | 126.4 | 126.2 | 125.8 | 125.7 |
| RFG Areas | 121.1 | 120.9 | 120.7 | 120.8 | 120.9 |
| PADD IX | 122.5 | 122.4 | 122.4 | 122.5 | 122.2 |
| Conventional Areas | 122.0 | 121.2 | 121.2 | 120.8 | 120.5 |
| OPRG Areas | 135.4 | 135.3 | 134.6 | 135.0 | 134.5 |
| RFG Areas | 122.1 | 122.1 | 122.1 | 122.3 | 122.0 |
| PADD IY | 121.6 | 121.3 | 121.4 | 121.3 | 121.6 |
| Conventional Areas | 117.8 | 117.1 | 117.7 | 117.9 | 118.4 |
| OPRG Areas | 126.2 | 126.1 | 125.9 | 125.5 | 125.4 |
| RFG Areas | 121.4 | 121.3 | 120.9 | 120.9 | 121.3 |
| PADD IZ | 114.0 | 113.6 | 113.2 | 114.0 | 114.2 |
| Conventional Areas | 113.8 | 113.4 | 112.9 | 113.8 | 114.0 |
| RFG Areas | 117.6 | 117.2 | 116.8 | 117.4 | 117.4 |
| PADD II | 116.0 | 117.9 | 117.2 | 120.5 | 117.7 |
| Conventional Areas | 115.0 | 117.5 | 115.8 | 119.5 | 116.5 |
| Oxygenated Areas | 114.1 | 110.7 | 117.3 | 120.1 | 115.2 |
| RFG Areas | 122.2 | 121.5 | 123.6 | 125.4 | 123.7 |
| PADD III | 115.8 | 115.5 | 115.3 | 115.4 | 114.6 |
| Conventional Areas | 115.5 | 115.2 | 115.1 | 115.3 | 114.4 |
| Oxygenated Areas | 121.4 | 120.5 | 119.8 | 118.6 | 117.7 |
| RFG Areas | 116.3 | 115.9 | 115.6 | 115.7 | 115.0 |
| PADD IV | 132.0 | 131.0 | 130.4 | 130.3 | 131.3 |
| Conventional Areas | 133.7 | 132.9 | 132.6 | 131.4 | 132.4 |
| Oxygenated Areas | 124.6 | 122.7 | 121.2 | 125.5 | 126.6 |
| PADD V | 145.3 | 142.9 | 142.0 | 143.4 | 143.3 |
| Conventional Areas | 141.5 | 140.2 | 141.1 | 143.7 | 144.2 |
| Oxygenated Areas | 143.0 | 140.9 | 139.6 | 141.1 | 141.1 |
| RFG Areas | 147.3 | 144.3 | 142.7 | 143.8 | 143.5 |
| Premium | | | | | |
| PADD I | 125.6 | 125.2 | 125.0 | 125.5 | 125.6 |
| Conventional Areas | 123.6 | 123.2 | 123.0 | 123.6 | 123.8 |
| OPRG Areas | 133.4 | 133.1 | 133.0 | 133.0 | 132.7 |
| RFG Areas | 128.5 | 128.2 | 128.1 | 128.1 | 128.2 |
| PADD IX | 131.6 | 131.4 | 131.6 | 131.5 | 131.3 |
| Conventional Areas | 131.0 | 130.4 | 130.4 | 130.0 | 129.6 |
| OPRG Areas | 143.8 | 143.6 | 143.0 | 143.5 | 143.5 |
| RFG Areas | 131.3 | 131.0 | 131.3 | 131.3 | 131.1 |
| PADD IY | 129.0 | 128.5 | 128.4 | 128.5 | 128.6 |
| Conventional Areas | 127.1 | 126.5 | 126.7 | 127.0 | 127.4 |
| OPRG Areas | 133.1 | 132.8 | 132.7 | 132.6 | 132.4 |
| RFG Areas | 127.2 | 126.8 | 126.4 | 126.4 | 126.6 |
| PADD IZ | 123.1 | 122.8 | 122.4 | 123.2 | 123.3 |
| Conventional Areas | 122.9 | 122.5 | 122.2 | 123.0 | 123.1 |
| RFG Areas | 126.8 | 126.4 | 126.3 | 126.7 | 126.7 |
| PADD II | 125.1 | 126.7 | 126.1 | 129.4 | 126.7 |
| Conventional Areas | 123.8 | 126.1 | 124.8 | 128.2 | 125.4 |
| Oxygenated Areas | 121.7 | 118.4 | 123.9 | 127.3 | 123.1 |
| RFG Areas | 132.7 | 131.5 | 133.0 | 135.5 | 133.7 |
| PADD III | 124.9 | 124.8 | 124.6 | 124.4 | 123.6 |
| Conventional Areas | 124.6 | 124.6 | 124.4 | 124.2 | 123.5 |
| Oxygenated Areas | 132.9 | 131.7 | 131.3 | 129.8 | 129.2 |
| RFG Areas | 125.1 | 124.9 | 124.3 | 124.6 | 123.4 |
| PADD IV | 140.1 | 139.3 | 138.9 | 138.9 | 140.0 |
| Conventional Areas | 141.5 | 140.9 | 140.5 | 139.6 | 140.8 |
| Oxygenated Areas | 134.2 | 132.8 | 131.9 | 136.1 | 136.8 |
| PADD V | 155.9 | 153.6 | 152.4 | 153.6 | 153.4 |
| Conventional Areas | 151.7 | 150.6 | 151.1 | 153.2 | 153.8 |
| Oxygenated Areas | 153.7 | 151.8 | 150.3 | 152.0 | 152.3 |
| RFG Areas | 158.4 | 155.3 | 153.5 | 154.2 | 153.7 |

NA=Not Available

Note: See Technical Note 1, page 40, for more information about the data in this table. See Glossary for definitions of abbreviations.

Source: See page 34.